## CWTF35A,CE 220-240V 1L/2UPF EURO

Height: 18.9" Width: 8.4" Depth: 21.4" (48.0cm) (21.3cm) (54.4cm)



- Model is space-saving 8.5" (21.6cm) wide
- · All stainless steel construction
- Hot water faucet (requires active plumbing connection)
- Pourover feature
- SplashGard® funnel deflects hot liquids away from the hand
- · Servers not included unless otherwise noted

Server(s) sold separately

Agency:

← CA
 □K
 □K

#### **Specifications**

Product #: 12950.0277 Faucet: Upper

Water Access: Plumbed Warmers: Two Upper/ One Lower

Finish: Stainless
Funnel: Black Plastic

**Additional Features** 

Pourover Option

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
220-240	14.5-15.8	3200-3800	Yes	EURO 16A	109	60°F (15.5°C)	1	2	50-60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements


i lumbing requirements							
PSI kPa		Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				


#### **CAD Drawings**

2D	Revit	KLC		
•				

MARNING:







		Unit		Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	18.9 in.	8.4 in.	21.4 in.	23.8 in.	12.5 in.	26.5 in.	33.600 lbs	4.566 ft <sup>3</sup>
Metric	48.0 cm	21.3 cm	54.4 cm	60.3 cm	31.8 cm	67.4 cm	15.241 kgs	0.129 m³



### Related Products & Accessories: CWTF35A,CE 220-240V 1L/2UPF EURO(12950.0277)



FUNNEL W/DECAL,PPK NAR BLK(SM)

Product #: 02774.00112



FUNNEL W/DECAL,PPK NAR BLK(LG)

Product #: 04274.0012<sup>2</sup>



FILTERS,REGULAR1M 500/2 50/CL

Product #: 20115.0000



FUNNEL ASSY, SST-BLK HDL(7.12

Product #: 20216.0000<sup>2</sup>



FUNNEL W/DECALS, BLACK PLASTIC

Product #: 20583.00032



FUNNEL ASSY, SST-PP BLK HNDL

Product #: 29151.0000<sup>2</sup>



FUNNEL ASSY,SST-PP ORANGE HDL

Product #: 29151.0001<sup>2</sup>



WATER FILTER SYSTEM,EQ-17-TL

Product #: 30200.10003



WATER FILTER,IN LINE ED-17-TL

Product #: 30201.10013



SYSTEM, WEQ-10(1.5)5L

Product #: 56000.00241



CARTRIDGE, WEQ-10 (1.5)5L

Product #: 56000.01211



CARTRIDGE, WEQ-10.3 (1.67)5L

Product #: 56000.01371

1NSF Certified 2NSF Certified with spec sheet model listed 3NSF Certified under Solventum Purification 4NSF Certified under Mavea LLC 5NSF Certified under Zojirushi 6NSF Certified under Qins Inc 7NSF COMPONENT Certified



### Serving & Holding Options: CWTF35A,CE 220-240V 1L/2UPF EURO(12950.0277)



EASY POUR®,(BLK) 1/CS

Product #: 06100.0101



EASY POUR®, (BLK) 2/CS

Product #: 06100.0102



EASY POUR®, (BLK) 3/CS

Product #: 06100.0103



EASY POUR®, (BLK) 6/CS

Product #: 06100.0106



EASY POUR®,(BLK) 12/

Product #: 06100.0112



EASY POUR®,(BLK) 24/

Product #: 06100.0124



EASY POUR®,(ORN) 1/

Product #: 06101.0101



EASY POUR®,(ORN) 2/

Product #: 06101.0102



EASY POUR®,(ORN) 3/

Product #: 06101.0103



EASY POUR®,(ORN) 24/

Product #: 06101.0124



DECANTER,GLASS-BLK 12C 24/CS

Product #: 42400.0024



DECANTER,GLASS-BLK 12CUP 1PK

Product #: 42400.0101



DECANTER,GLASS-BLK 12C 3/CS

Product #: 42400.0103



DECANTER,GLASS-ORN 12C 24/CS

Product #: 42401.0024



DECANTER, GLASS-ORN 12 CUP 1PK

Product #: 42401.0101

1NSF Certified 2NSF Certified with spec sheet model listed 3NSF Certified under Solventum Purification 4NSF Certified under Mavea LLC 5NSF Certified under Zojirushi 6NSF Certified under Qins Inc 7NSF COMPONENT Certified



# Serving & Holding Options: CWTF35A,CE 220-240V 1L/2UPF EURO(12950.0277)



DECANTER,GLASS-ORN 12C 3/CS

Product #: 42401.0103

