


VP17A-1 (1 Lower Warmer)

Height: 19.0" Width: 8.4" Depth: 19.3"
(48.3cm) (21.3cm) (49.0cm)



- All stainless steel construction
- Pourover brewer requires no plumbing – completely portable
- SplashGard® funnel deflects hot liquids away from the hand
- Two individually controlled warmers
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:



Specifications

Product #: 13300.0024

Warmers: One Lower

Water Access: Not Plumbed

Finish: Stainless/Black

Funnel: Black Plastic

Additional Features

Electrical & Capacity

| Volts* | Amps | Watts | Cord Attached | Plug Type | 8oz cups/hr 236ml cups/hr | Input H ₂ O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|---------|-----------|---------------|-----------|------------------------------|------------------------------|-------|---------------------|-------|
| 220-240 | 9.0-9.9 | 2000-2375 | Yes | EURO 16A | 93 | 60°F (15.5°C) | 1 | 2 | 50-60 |

*When a BUNN machine is rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

| PSI | kPa | Fitting Supplied | Water Flow Required (GPM) |
|-----|-----|------------------|---------------------------|
| - | - | - | - |

 **WARNING:**


CAD Drawings

| 2D | Revit | KLC |
|----|-------|-----|
| ● | | |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025



| Unit | | | | Shipping | | | | |
|---------|----------|---------|----------|----------|----------|----------|------------|-----------|
| | Height | Width | Depth | Height | Width | Depth | Weight | Volume |
| English | 19.0 in. | 8.4 in. | 19.3 in. | 23.8 in. | 12.5 in. | 26.5 in. | 27.200 lbs | 4.566 ft³ |
| Metric | 48.3 cm | 21.3 cm | 49.0 cm | 60.3 cm | 31.8 cm | 67.4 cm | 12.338 kgs | 0.129 m³ |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025

Related Products & Accessories:VP17A-1 (1 Lower Warmer)(13300.0024)

| | | | | |
|---|--|--|--|---|
|  <p>CORD, POWER-250V10AMP (OPEN END)</p> <p>Product #: 01716.0000</p> |  <p>FUNNEL W/DECAL,PPK NAR BLK(SM)</p> <p>Product #: 02774.0011²</p> |  <p>FUNNEL W/DECAL,PPK NAR BLK(LG)</p> <p>Product #: 04274.0012²</p> |  <p>WX2A, 230V 50/60HZ</p> <p>Product #: 06310.0006</p> |  <p>FILTERS,REGULAR1M 500/2 50/CL</p> <p>Product #: 20115.0000</p> |
|---|--|--|--|---|

| | | |
|--|---|---|
|  <p>FUNNEL ASSY, SST-BLK HDL(7.12)</p> <p>Product #: 20216.0000²</p> |  <p>FUNNEL ASSY, SST-PP BLK HDL</p> <p>Product #: 29151.0000²</p> |  <p>FUNNEL ASSY,SST-PP ORANGE HDL</p> <p>Product #: 29151.0001²</p> |
|--|---|---|

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



Serving & Holding Options: VP17A-1 (1 Lower Warmer)(13300.0024)

| | | | | |
|--|---|--|---|--|
|  <p>EASY POUR®,(BLK) 1/CS</p> <p>Product #: 06100.0101</p> |  <p>EASY POUR®,(BLK) 2/CS</p> <p>Product #: 06100.0102</p> |  <p>EASY POUR®,(BLK) 3/CS</p> <p>Product #: 06100.0103</p> |  <p>EASY POUR®,(BLK) 6/CS</p> <p>Product #: 06100.0106</p> |  <p>EASY POUR®,(BLK) 12/CS</p> <p>Product #: 06100.0112</p> |
|  <p>EASY POUR®,(BLK) 24/CS</p> <p>Product #: 06100.0124</p> |  <p>EASY POUR®,(ORN) 1/CS</p> <p>Product #: 06101.0101</p> |  <p>EASY POUR®,(ORN) 2/CS</p> <p>Product #: 06101.0102</p> |  <p>EASY POUR®,(ORN) 3/CS</p> <p>Product #: 06101.0103</p> |  <p>EASY POUR®,(ORN) 24/CS</p> <p>Product #: 06101.0124</p> |
|  <p>DECANTER, GLASS-BLK 12C 24/CS</p> <p>Product #: 42400.0024</p> |  <p>DECANTER, GLASS-BLK 12CUP 1PK</p> <p>Product #: 42400.0101</p> |  <p>DECANTER, GLASS-BLK 12C 3/CS</p> <p>Product #: 42400.0103</p> |  <p>DECANTER, GLASS-ORN 12C 24/CS</p> <p>Product #: 42401.0024</p> |  <p>DECANTER, GLASS-ORN 12 CUP 1PK</p> <p>Product #: 42401.0101</p> |

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



Serving & Holding Options: VP17A-1 (1 Lower Warmer)(13300.0024)



DECANTER, GLASS-ORN
12C 3/CS

Product #: 42401.0103



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
07/08/2025